

ROCKDALE COUNTY FIRE RESCUE

Marian McDaniel, Fire Chief
MarianMcDaniel@RockdaleCountyGa.Gov
770-278-8401



FIRE MARSHAL'S OFFICE

FireMarshal@RockdaleCountyGa.Gov
Office: 770-278-8401

**Fire Marshal's Office
COMMERCIAL PLANS SUBMITTAL CHECKLIST**

Contact Rockdale County Department of Planning & Development for their submittal process buildingpermit@rockdalecountyga.gov or 770-278-7100 for construction of new buildings, additions, alterations, and repairs of existing and as-Built floor plans involving structural changes, occupancy classification changes, impact upon egress, or impact on fire resistive construction. Digital copies shall be submitted to the Fire Marshal's Office for review at FireMarshal@RockdaleCountyGa.Gov. For an accurate review analysis, assembly occupancy plans must be accompanied by a letter of intended use stating a description of the use, the hours of operation, whether food or alcoholic beverages will be served, and whether entertainment will be provided and what and what types of entertainment. Our standard review process of a complete plan submittal is up to ten (10) business days.

Architectural plans must include the following information:

I. Cover Sheet with Project Criteria

- A. Name of project
- B. Project location
- C. Architect/Engineer / F.P.E. seal with registration number
- D. Occupancy classification per NFPA 101
- E. Construction type - sprinkled, protected, etc.
- F. Building area – breakdown
- G. New building using area modifications for allowable area, provide calculation
- H. Occupant load (show calculations based on NFPA 101)
- I. Applicable codes/year (most current edition adopted by the state of Georgia Fire Marshal's Office)
 - International Building Code with Georgia Amendments
 - National Electric Code
 - International Gas Code with Georgia Amendments
 - International Mechanical Code with Georgia Amendments
 - International Plumbing Code with Georgia Amendments
 - International Energy Conservation Code with Georgia Amendments
 - National Fire Protection Association 101-Life Safety Code with Georgia Amendments
 - International Fire Code with Georgia Amendments
 - International Residential Code with Georgia Amendments
 - U.S. Department of Justice, 2010 A.D.A. Standards for Accessible Design (adopted March 15,2012)
 - Georgia Insurance Commissioners Rules & Regulations 120-3-3 (<https://rules.sos.state.ga.us/gac/120-3-3>)

ROCKDALE COUNTY FIRE RESCUE

Marian McDaniel, Fire Chief

MarianMcDaniel@RockdaleCountyGa.Gov

770-278-8401



FIRE MARSHAL'S OFFICE

FireMarshal@RockdaleCountyGa.Gov

Office: 770-278-8401

II. Site Plan (New Construction)

- A. Location of project in relation to property lines
- B. Location of project in relation to other buildings on-site if applicable

III. Key Plan

- A. Show proposed space within a building
- B. Show adjoining tenants and identify them by occupancy
- C. Show and identify complete scope of work

IV. Floor Plan

Scaled drawings must be to an architectural scale, such as 1/4 inch equals one foot, 1/8 inch equals one foot, etc.

Legend must provide:

1. Old vs. new construction
2. Rated walls
3. Existing walls / demo walls
4. Sections and applicable details
5. IBC fire area, occupancy separation table requirements, or area/height limits per occupancy.

For New Buildings:

1. Floor/Reflected ceiling Plans, label, and dimension of all spaces
2. Cross Sections, Wall sections and applicable Details
3. Door and Finish Schedules
4. Structural Plans

Identify:

1. Exits, travel distance, common path, & dead-end corridors per NFPA 101-2018 ed.
2. Room Use Designation
3. Door Sizes, Corridors, Stairs, Plumbing Fixtures, and Storage Rooms
4. Total area of work
5. Life Safety Plan sheet

If pre-engineered building structural components were used, technical specification will be required with additional detail for verification of code compliance.

Architect's/Engineer's seal for plans as described below;

- Over 5,000 square feet or contains more than one story.
- New or existing assembly occupancies
- Educational occupancies, health care occupancies, correctional or detention facilities, hotels, dormitories or lodging facilities, multifamily housing or apartment complexes, and care facilities.

All sprinkler, alarm, or fire protection system plans must be stamped by a licensed design professional.

All plans submitted for Structural Plans Review must also be reviewed for zoning compliance. If plans are for new construction, a Site Development permit must be issued before a building permit is issued.